

# PRODUCT DATA SHEET



### NO-TOX® FOOD GRADE HIGH TEMPERATURE OIL

No-Tox Food Grade High Temperature Oil, commonly known as No-Tox Hi-Temp Oil, is an excellent high temperature lubricant for use in a variety of clan industry applications.

No-Tox Food Grade High Temperature Oil is NSF H1 registered for use where incidental food contact may occur. No-Tox Food Grade High Temperature Oil can be used at temperatures up to 260°C (500°F). No-Tox Food Grade High Temperature Oil is rated as a CLP gear lubricant according to German DIN 51502 and surpasses the requirements of gear oils according to U.S. Steel 224, DIN 51517-3 and AGMA 9005. No-Tox Food Grade High Temperature Oil is made from food grade synthetic ester base fluids combined with an excellent food grade additive package. No-Tox Food Grade High Temperature Oil excels in high temperature application such as oven chain lubricants where is cleans, penetrates and lubricates.

#### **Applications**

- ♦ Bearings, chains and conveyors in bread ovens, pita ovens, tortilla ovens, drying ovens, curing ovens, rack ovens, tunnel ovens and other ovens
- ◆ Light-duty gears that call for ISO VG 220 fluids
- ♦ Where a biodegradable and non-toxic lubricant is required

#### Features and Benefits

<b>♦</b>	NSF H1 registered	Use where incidental food contact may occur.
•	Compliances	Kosher and Pareve approved. Halal certified.
•	Bacteriological protection	Effectively inhibits the growth of certain bacteria, yeast and mold in the lubricant.
•	Biodegradable	If contact with the environment occurs through spillage, it degrades into harmless substances.
•	Synthetic ester formula	Extends gear, bearing, chain and conveyor life.
<b>♦</b>	Anti-wear protection	Reduces friction, wear and energy consumption.

#### **General Description**

**No-Tox Food Grade High Temperature Oil** will perform very well in a range of clean industry applications including high temperature oven chains. **No-Tox Food Grade High Temperature Oil** meets NSF H1 and FDA requirements for materials that may have incidental contact with food as defined under Title 21 CFR 178.3570. It is Kosher and Pareve approved, as well as Halal certified.

#### Product No. 62577

Page 1 of 2

With continual research and development, Bel-Ray Company, Inc. reserves the right to change the information contained herein. The Company is not responsible for misuse or misapplication of its products.

## NO-TOX® FOOD GRADE HIGH TEMPERATURE OIL

#### **TYPICAL PROPERTIES**

<u>Product No.</u>	<u>62577</u>
ISO Viscosity Grade	220
Viscosity, ASTM D445 @ 40°C, cSt @ 100°C, cSt	214 25.5
Viscosity Index, ASTM D2270	151
Base Fluid Type	Synthetic Ester
Pour Point, ASTM D97 °C (°F)	-29 (-20)
Rust Test, ASTM D665, Procedure A & B	Pass
Falex EP Test, ASTM D3233 Method B Non-seizure Load, lbf	2000
4-Ball Wear Test, ASTM D4172 @ 1200 rpm, 40 kg, 1 hr, 75°C Scar Diameter, mm	0.35
Biodegradability, ASTM D5864 (OECD 301B), %	> 65
Flash Point, ASTM D92  °C  (°F)	282 (540)
Useful Temperature Range °C (°F)	-26 to 260 (-15 to 500)
Specific Gravity, ASTM D1298, 60/60°F	1.005
Color	Clear Yellow

Page 2 of 2

With continual research and development, Bel-Ray Company, Inc. reserves the right to change the information contained herein. The Company is not responsible for misuse or misapplication of its products.